

Sound and Light Requirements

Sound is an important factor of Kenny's show (in-house ceiling speakers are NOT to be used for Kenny's performance)

The following are the minimum requirements:

1. One (1) sound re-enforcement system which consists of one (1) mixer/amplifier board, 800 Watt minimum and two (2) speakers
2. One Microphone and boomstand
3. All necessary cords for system
4. Front lighting, which may be one of following: Two (2) 500-Watt lights; OR One (1) 1000 watt light; OR One (1) stage spotlight

For audiences of over 300, please contact Integra Entertainment Management at (250) 860-4834.

OUTDOOR: Please contact Integra Entertainment Management (250) 860-4834
dale@integra-ent.ca

EVENT PROGRAM SCHEDULE INSTRUCTIONS:

1. Kenny's performance will be forty-five (45) to sixty (60) minutes depending on the audience.
2. His show should be scheduled immediately before or immediately following dinner.
3. For programs with schedules in excess of four (4) hours, the comedy portion should not be scheduled after the 2-hour mark, i.e. cocktails at 6:00 pm, comedy at 7:30 pm, awards presentations, speeches, etc., following comedy show.

TYPE OF STAGE:

Staging is very important for your audience to see and enjoy Kenny's show. Stage should be a minimum of 12ft X 8ft, placed strategically for the best sight lines.
